

**ANTACID REGULAR STRENGTH- aluminum hydroxide, magnesium hydroxide and dimethicone liquid**

**CVS Pharmacy**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**CVS Pharmacy, Inc. Antacid Liquid Drug Facts**

**Active ingredient (in each 5 mL teaspoon)**

Aluminum hydroxide (equiv. to dried gel, USP) 200 mg

Magnesium hydroxide 200 mg

Simethicone 20 mg

**Purpose**

Antacid

Antigas

**Uses**

relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach due to these symptoms
- pressure and bloating commonly referred to as gas

**Warnings**

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

**Ask a doctor or pharmacist before use if you are**

now taking a prescription drug. Antacids may interact with certain prescription drugs.

**When using this product**

do not exceed 24 teaspoonfuls (120 mL) in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

**Keep out of reach of children.**

**Directions**

- shake well
- adults and children 12 years and older: take 2-4 teaspoonfuls (10-20 mL) between meals, at bedtime, or as directed by a doctor
- children under 12 years: ask a doctor

### **Other information**

- each teaspoon contains: magnesium 85 mg
- does not meet USP requirements for preservative effectiveness
- store at 20°-25°C (68°-77°F)

### **Inactive ingredients**

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, simethicone emulsion, sorbitol, sorbitol solution

### **Questions or comments?**

1-800-719-9260

### **Principal Display Panel**

Compare to the active ingredients in Mylanta®

Fast Acting

ANTACID LIQUID

REGULAR STRENGTH

ANTACID

ANTI-GAS

Soothing relief of:

Heartburn

Acid indigestion

Sour stomach

Plus anti-gas relief

Classic Flavor

Original

ALCOHOL 0.2%

**CVS**  
pharmacy®

NDC 59779-357-40

Compare to the  
active ingredients  
in Mylanta®\*

***Fast Acting***

# **ANTACID LIQUID**

**REGULAR STRENGTH**

**ANTACID • ANTI-GAS**

***Soothing relief of:***

- ***Heartburn***
- ***Acid indigestion***
- ***Sour stomach***

***Plus anti-gas relief***

***Classic Flavor***

# Original

ALCOHOL 0.2%

## 12 FL OZ (355 mL)

: 35740 17 F8

### Drug Facts

#### Active ingredients (in each 5 mL teaspoon) Purposes

Aluminum hydroxide (equiv. to dried gel, USP) 200 mg.....Antacid  
Magnesium hydroxide 200 mg.....Antacid  
Simethicone 20 mg.....Antigas

**Uses** relieves ■ heartburn ■ acid indigestion ■ sour stomach  
■ upset stomach due to these symptoms  
■ pressure and bloating commonly referred to as gas

#### Warnings

Ask a doctor before use if you have

■ kidney disease ■ a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product do not exceed 24 teaspoonfuls (120 mL) in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

Keep out of reach of children.

#### Directions

■ shake well  
■ adults and children 12 years and older: take 2-4 teaspoonfuls (10-20 mL) between meals, at bedtime, or as directed by a doctor  
■ children under 12 years: ask a doctor


#### Other information

■ each teaspoon contains: magnesium 85 mg  
■ does not meet USP requirements for preservative effectiveness  
■ store at 20°-25°C (68°-77°F)

**Inactive ingredients** butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, simethicone emulsion, sorbitol, sorbitol solution

Questions or comments? 1-800-719-9260

DO NOT USE IF  
BREAKAWAY BAND  
ON CAP IS BROKEN  
OR MISSING



: 35740 17 B8

Distributed by:  
CVS Pharmacy, Inc.  
One CVS Drive  
Woonsocket, RI 02895  
© 2012 CVS/pharmacy  
www.cvs.com  
1-800-shop-CVS  
V-6440



\*This product is not manufactured or distributed by Johnson & Johnson • MERCK Consumer Pharmaceuticals Co., distributor of Mylanta®.

## ANTACID REGULAR STRENGTH

aluminum hydroxide, magnesium hydroxide, simethicone liquid

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:59779-357

Route of Administration		ORAL	DEA Schedule	
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)			ALUMINUM HYDROXIDE	200 mg in 5 mL
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)			MAGNESIUM HYDROXIDE	200 mg in 5 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)			DIMETHICONE	20 mg in 5 mL
Inactive Ingredients				
Ingredient Name				Strength
SILICON DIO XIDE (UNII: ETJ7Z6XBU4)				
BUTYL PARABEN (UNII: 3QPI1U3FV8)				
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)				
HYPROMELLOSES (UNII: 3NXW29V3WO)				
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
PROPYL PARABEN (UNII: Z8IX2SC1OH)				
WATER (UNII: 059QF0KO0R)				
SORBITOL (UNII: 506T60A25R)				
PEPPERMINT OIL (UNII: AV092KU4JH)				
Product Characteristics				
Color	WHITE (opaque)		Score	
Shape			Size	
Flavor	MINT (lemon, original)		Imprint Code	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-357-40	355 mL in 1 BOTTLE		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC monograph final	part331		05/15/1990	

**Labeler** - CVS Pharmacy (062312574)